

University of Groningen

Anastomotic leakage

Karliczek, Anne

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Karliczek, A. (2008). *Anastomotic leakage: risk assessment in gastrointestinal surgery*. [Thesis fully internal (DIV), University of Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Stellingen

behorend bij het proefschrift

'Anastomotic leakage– Risk assessment in gastrointestinal surgery'

1. Prophylactic drainage of colonic anastomoses does not influence anastomotic leakage. (dit proefschrift)
2. Based on clinical intraoperative risk assessment the surgeon can't predict anastomotic leakage. (dit proefschrift)
3. Low tissue saturation in murine colon is a risk factor for anastomotic leakage from the third postoperative day and beyond. (dit proefschrift)
4. Visible light spectroscopy can adequately detect tissue ischemia in murine colon serosa. (dit proefschrift).
5. An abdominal wall hernia using an exteriorized loop of descending colon is a successful model to apply fractionated irradiation in rats (dit proefschrift)
6. Visible light spectroscopy shows stable measurements during oesophageal and colorectal resection in humans and is a feasible instrument to evaluate serosal (adventitial) tissue oxygenation. (dit proefschrift)
7. Tissue oxygenation measured with visible light spectroscopy does not predict anastomotic leakage. (dit proefschrift)
8. Curiosity kills the rat.
9. Besides feeling gut, a gastrointestinal surgeon needs gut feeling.
10. The surgeon must have the heart of a lion, the eyes of a hawk, and the hands of a woman. (John Halle, 1529-1586)
11. Some things separate boys from men. Often the men are far behind. (naar CDNA jaarverslag, Dutch Birding 2000; 22: 251-271)
12. Mountains are not stadiums where I practise my sport, they are cathedrals where I practise my religion (Anatoli Boukreev, 1958-1997)

Centrale	U
Medische	M
Bibliotheek	C
Groningen	G